

ICE MAKING MACHINE

Beautiful appearance, small volume, bar, bar,
room drinks cabinet placed at random
Automatic water inlet, manual water dual-purpose, applicable to
a variety of water environment
Ice making process state real-time display,
stick out a mile

ICE MAKING MACHINE SERIES



**BY80A BY100A
BY120A**



BY50A

Product Type: **BY50A**
Dimension(LxWxH):350x440x450mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):22
Fund ice:6
Voltage/Electric:220V/220W
Coolant:R22/134a
Condensation:aic cooling

Product Type: **BY80A**
Dimension(LxWxH):530x590x920mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):36
Fund ice:25
Voltage/Electric:220V/395W
Coolant:R22/404a
Condensation:aic cooling

Product Type: **BY100A**
Dimension(LxWxH):530x590x920mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):45
Fund ice:25
Voltage/Electric:220V/455W
Coolant:R22/404a
Condensation:aic cooling

Product Type: **BY120A**
Dimension(LxWxH):530x590x920mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):55
Fund ice:25
Voltage/Electric:220V/495W
Coolant:R22/404a
Condensation:aic cooling

Product Type: **BY150A/W**
Dimension(LxWxH):680x690x980mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):68
Fund ice:50
Voltage/Electric:220V/545W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type: **BY200A/W**
Dimension(LxWxH):680x690x980mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):90
Fund ice:50
Voltage/Electric:220V/630W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type: **BY260A/W**
Dimension(LxWxH):680x690x980mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):115
Fund ice:50
Voltage/Electric:220V/715W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type: **BY300A/W**
Dimension(LxWxH):680x690x980mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):130
Fund ice:50
Voltage/Electric:220V/770W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type: **BY350A/W**
Dimension(LxWxH):560x810x1430mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):150
Fund ice:100
Voltage/Electric:220V/810W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type: **BY420A/W**
Dimension(LxWxH):560x810x1430mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):180
Fund ice:100
Voltage/Electric:220V/850W
Coolant:R22/404a
Condensation:aic cooling/Water cooling



**BY150A/W BY200A/W
BY260A/W BY300A/W**



**BY350A/W
BY420A/W**



**BY700A/W
BY800A/W**



**BY500A/W
BY600A/W**

Product Type: **BY500A/W**
Dimension(LxWxH):760x810x1580mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):220
Fund ice:180
Voltage/Electric:220V/950W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type: **BY600A/W**
Dimension(LxWxH):760x810x1580mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):270
Fund ice:180
Voltage/Electric:220V/1050W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type: **BY700A/W**
Dimension(LxWxH):760x810x1630mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):318
Fund ice:200
Voltage/Electric:220V/1365W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type: **BY800A/W**
Dimension(LxWxH):760x810x1630mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):360
Fund ice:200
Voltage/Electric:220V/1750W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

ICE MAKING MACHINE SERIES



**BY1500W
BY1950W**



**BY1000A/W
BY1200A/W**

Product Type:BY1000A/W
Dimension(LxWxH):760x810x1780mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):450
Fund ice:200
Voltage/Electric:220V/2310W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type:BY1500W
Dimension(LxWxH):1250x810x1830mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):680
Fund ice:450
Voltage/Electric:220V/3085W
Coolant:R22/404a
Condensation:Water cooling

Product Type:BY1200A/W
Dimension(LxWxH):760x810x1780mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):540
Fund ice:200
Voltage/Electric:220V/2850W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type:BY1950W
Dimension(LxWxH):1250x810x1980mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):880
Fund ice:450
Voltage/Electric:220V/4015W
Coolant:R22/404a
Condensation:Water cooling

Product Type:BY5000W
Dimension(LxWxH):1600x1630x1840mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):2000
Fund ice:500
Voltage/Electric:380V/6050W
Coolant:R22/404a
Condensation:Water cooling

Product Type:BY8000W
Dimension(LxWxH):1980x1630x1840mm
Ice fom/Dimension:square ice 22x22x22mm
Most ice outturn(KG/24H):3000
Fund ice:500
Voltage/Electric:380V/9250W
Coolant:R22/404a
Condensation:Water cooling



BY5000W BY8000W



**BY500-3 BY1000-3 BY2000-3
BY3000-3 BY5000-3**

Product Type:BY500-3
Dimension(LxWxH):1270x1030x1760mm
Ice fom/Dimension:1.8-2.5mm
Most ice outturn(KG/24H):500
Fund ice:300
Voltage/Electric:380V/2700W
Coolant:R404/R507
Condensation:aic cooling

Product Type:BY2000-3
Dimension(LxWxH):1510x1400x2440mm
Ice fom/Dimension:1.8-2.5mm
Most ice outturn(KG/24H):2000
Fund ice:500
Voltage/Electric:380V/9700W
Coolant:R404/R507
Condensation:aic cooling

Product Type:BY5000-3
Dimension(LxWxH):1650x1550x1530mm
(Height to customer demand for)
Ice fom/Dimension:1.8-2.5mm
Most ice outturn(KG/24H):5000
Fund ice:3000
Voltage/Electric:380V/23000W
Coolant:R404/R507
Condensation:aic cooling

Product Type:BY1000-3
Dimension(LxWxH):1320x1280x2060mm
Ice fom/Dimension:1.8-2.5mm
Most ice outturn(KG/24H):1000
Fund ice:400
Voltage/Electric:380V/4500W
Coolant:R404/R507
Condensation:aic cooling

Product Type:BY3000-3
Dimension(LxWxH):1800x1135x1240mm
(Height to customer demand for)
Ice fom/Dimension:1.8-2.5mm
Most ice outturn(KG/24H):3000
Fund ice:1200
Voltage/Electric:380V/11200W
Coolant:R404/R507
Condensation:aic cooling

ICE MAKING MACHINE SERIES

Product Type:BY420-1
Dimension(LxWxH):560x810x1400mm
Ice fom/Dimension:square ice 13x22x22mm
Most ice outturn(KG/24H):180
Fund ice:100
Voltage/Electric:220V/850W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type:BY1000-1
Dimension(LxWxH):760x810x1810mm
Ice fom/Dimension:square ice 13x22x22mm
Most ice outturn(KG/24H):450
Fund ice:200
Voltage/Electric:220V/2310W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type:BY800-2
Dimension(LxWxH):760x810x1780mm
Ice fom/Dimension:square ice 13x30x38mm
Most ice outturn(KG/24H):380
Fund ice:200
Voltage/Electric:220V/1750W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type:BY700-1
Dimension(LxWxH):760x810x1630mm
Ice fom/Dimension:square ice 13x22x22mm
Most ice outturn(KG/24H):318
Fund ice:200
Voltage/Electric:220V/1365W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type:BY600-2
Dimension(LxWxH):760x810x1780mm
Ice fom/Dimension:square ice 13x30x38mm
Most ice outturn(KG/24H):270
Fund ice:200
Voltage/Electric:220V/1050W
Coolant:R22/404a
Condensation:aic cooling/Water cooling



**BY420-1 BY700-1 BY600-2
BY1000-1 BY800-2**



BY500-4 BY700-4 BY120-4 BY260-4

Product Type:BY120-4
Dimension(LxWxH):640x435x800mm
Ice fom/Dimension:Snow ice
Most ice outturn(KG/24H):55
Fund ice:20
Voltage/Electric:220V/350W
Coolant:R22/404a
Condensation:aic cooling

Product Type:BY500-4
Dimension(LxWxH):760x810x1580mm
Most ice outturn(KG/24H):220
Fund ice:180
Voltage/Electric:220V/950W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type:BY260-4
Dimension(LxWxH):640x435x900mm
Ice fom/Dimension:Snow ice
Most ice outturn(KG/24H):110
Fund ice:20
Voltage/Electric:220V/435W
Coolant:R22/404a
Condensation:aic cooling

Product Type:BY700-4
Dimension(LxWxH):760x810x1630mm
Most ice outturn(KG/24H):318
Fund ice:200
Voltage/Electric:220V/1750W
Coolant:R22/404a
Condensation:aic cooling/Water cooling

Product Type:BY128
Dimension(LxWxH):360x290x350mm
Most ice outturn(KG/24H):4
Fund ice:2
Voltage/Electric:220V/160W


Product Type:BY158
Dimension(LxWxH):360x380x450mm
Most ice outturn(KG/24H):6
Fund ice:2
Voltage/Electric:220V/1860W

Product Type:BY168
Dimension(LxWxH):435x300x720mm
Most ice outturn(KG/24H):8
Fund ice:6
Voltage/Electric:220V/240W



BY128 BY158 BY168

ICE MAKING MACHINE SERIES




WHOLE BAR COUNTER PLAN

Ice making machine
Grinding machine
Boiling water machine
Steam boiling water machine
Coffee machine
Fructose machine
Multifunctional smoothie machine
Snow ice machine
Ice machine
Various types of tea Hardware
Stainless steel table design
Various types of water purification equipment

BAR COUNTERSPECIAL-PURPOSESTAINLESS STEEL

Stage characteristics

Novel design, exquisite workmanship, greatly improve the working efficiency and the store image
A number of tea, coffee brand chain stores designated manufacturers
According to customer requirements, customized size material



COLD STORAGE

Panels Thickness

Panel THK(mm)	Operating Temp
50	5°COr above
75	-5°COr above
100	-25°COr above
150	-45°COr above
200	-55°COr above

According to the requirements of customers build size

ICE QUANTITY CALCULATION

Operation place	Lce use	Ice need per day
Dinings	Restaurants	0.6KG per person
	Bars	1.2KG per person
	Fast food restaurant	the half of drink need
hotels	For rooms	1KG per room
	Dining rooms	0.6KG per person
	Bars	1.2KG per person
rehabilitation centre	For patients	4KG per person
	Cafeteria	0.4KG per person
convenience stores	Drinks	the half of drink need
	Cake ice	40%more than drink need
sales of drink	Drinks	40%ice need per cup